

Saramonic

Sound.Remarkable. 

USB Multicolor Microphone


USB心形指向麦克风

SR-MV2000

User Manual
用户手册





Direct / Playback Monitoring



Smart LED indicator for adjustment

Gain / Mute Control




GAIN

MUTE

Smart LED indicator for adjustment

Connect to the Computer (USB-A)



System Requirements:




-Windows 7/10



-Mac OS 10.12


Connect to the Smartphone (USB-C Port)

(USB-C devices)



Using 6.6' (2 meters)
USB-C to USB-C cable

Magnetic Base




Specifications

Polar Pattern	Cardioid
Frequency Response	20 to 20kHz
Sample Rates	48kHz
Bit Rate	24-bit
Sensitivity	-36dB (0dB=1V/Pa, 1kHz 1Pa)
Signal to Noise Ratio	80dB
Maximum SPL	120dB
Output Connection	USB-C
Dimension	165x78.6x90mm
Weight	370g


Packing List

- SR-MV2000 USB Microphone
- 6.6'(2 meters)USB-A to USB-C Cable
- 6.6'(2 meters)USB-C to USB-C Cable
- 3/8''to 5/8'' Screw Adapter

实时监听 / 回放监听设置



增益 / 静音设置




GAIN
(麦克风
实时音量)



MUTE
(静音)

电脑连接操作（USB）




系统支持

 -Windows 7/10


 -IOS 10.12以上

手机连接操作 (Type-C)

(Type-C设备)



磁吸底座



参数

指向性	心形
频率响应	20至20kHz
采样率	48kHz
比特率	24-bit
灵敏度	-36dB (0dB=1V/Pa, 1kHz 1Pa)
信噪比	80dB
最大声压级	120dB
输出连接	USB-C
尺寸	165x78.6x90mm
重量	370g

包装清单

- SR-MV2000 USB 麦克风
- 2m USB-C 转 USB-C 数据线
- 2m USB-A 转 USB-C 数据线
- 3/8"转 5/8" 转接头



For better recording experience, the application **SmartRecorder** is recommended.

为获得更好的录制体验，推荐使用枫笛 Saramonic 自主研发应用软件 **SmartRecorder**。



Scan the QR code and follow us!
扫描微信关注枫笛公众号!

Shenzhen Jiayz Photo Industrial, Ltd
深圳市长丰影像器材有限公司

A16 Building, Intelligent Terminal Industrial Park of Silicon Valley
Power, Guanlan, Longhua District, Shenzhen, China
深圳市龙华区观澜街道大富工业区硅谷动力智能终端产业园A16栋

☎ 400-613-1096 🌐 www.saramonic.com ✉ info@saramonic.com